
Cell Phone Signal Booster - CDMA 850

Main Features:

- Working System: CDMA
- Frequency Range: Uplink 824-849MHz; Downlink 869-894MHz
- Effective Coverage: 60 Square Meters

Images:





Technic Specifications:

- Working System: CDMA
- Frequency Range: Uplink 824-849MHz; Downlink 869-894MHz
- Effective Coverage: 60 Square Meters
- Gain?Up link: Gp \geq 61dB,Downlink: Gp \geq 65dB
- Power supply: AC/110-220V \pm 10% 45?55Hz
- Output up: Up link ?25dBm, Down link ?25dBm
- Port VSWR: \leq 1.8DB
- I/O impedance: 50 Ω /N connector
- ALC: \geq 10dB
- In-Band ripple: \leq 6dB
- Noise figure: \leq 6dB
- Transmission delay: \leq 0.5 μ s
- Weight: 1.07KG
- Dimension: 198mm \times 148mm \times 39mm

Package Included:

- 1pc Cell Phone Signal Booster - CDMA 850
- 1pc Power Adapter (100-240V)
- Indoor Antenna
- Outdoor Antenna

- Coaxial Cable 5M
- Coaxial Cable 10M
- Indoor Antenna Accessories and Screws
- Manual

Important Notice:

If you are not so sure about the Cell/Mobile Phone Frequency range you are going to booster, please kindly check your local cellular frequency at: <http://worldtimezone.net/gsm.html>

[product_url:] [Cell Phone Signal Booster - CDMA 850](#)

[pdf_url:] http://www.cellmobilephonejammer.com/CellPhoneSignalBoosterCDMA850441_22.pdf